

## TOWN OF NEW HAMPTON SUBDIVISION REGULATIONS

### SECTION II: REQUIREMENTS FOR SOILS AND WETLANDS DATA IN SUBDIVISION/ SITE PLAN REVIEW REGULATIONS

**Table A-1: New Hampton Soils Characteristics**

Symbol	Map Unit Name	Parent Material	Farm Classification	Erodability	Drainage Class	Flooding	Pending	Hydric	Hydric %
AaB	ACTON AND ACTON FIRM SUBSTRATUM, FINE SANDY LOAMS, 0 TO 8 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Moderately well drained	none	none	no	5
AtB	ACTON AND ACTON FIRM SUBSTRATUM, VERY STONY FINE SANDY LOAMS, 0 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	not highly erodible	Moderately well drained	none	none	no	5
AtC	ACTON AND ACTON FIRM SUBSTRATUM, VERY STONY FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Moderately well drained	none	none	no	---
AuB	AU-GRES LOAMY SAND, 0 TO 8 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Poorly drained	none	none	yes	400
GaB	CHARLTON LOAM, 3 TO 8 PERCENT SLOPES	Fill	All areas are prime farmland	potentially highly erodible	Well drained	none	none	no	---
GaC	CHARLTON LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of statewide importance	highly erodible	Well drained	none	none	no	---
GaD	CHARLTON LOAM, 15 TO 25 PERCENT SLOPES	Fill	Farmland of local importance	highly erodible	Well drained	none	none	no	---
ChB	CHARLTON VERY STONY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Well drained	none	none	no	---
ChC	CHARLTON VERY STONY LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Well drained	none	none	no	---
ChD	CHARLTON VERY STONY LOAM, 15 TO 25 PERCENT SLOPES	Fill	Farmland of local importance	highly erodible	Well drained	none	none	no	---
ChE	CHARLTON VERY STONY LOAM, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Well drained	none	none	no	---
GrD	CHARLTON EXTREMELY STONY LOAM, 8 TO 25 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Well drained	none	none	no	---
GrE	CHARLTON EXTREMELY STONY LOAM, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Well drained	none	none	no	---
DeA	DEERFIELD LOAMY SAND, 0 TO 3 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Moderately well drained	none	none	no	40
DeB	DEERFIELD LOAMY SAND, 3 TO 8 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Moderately well drained	none	none	no	10
GcB	GLOUCESTER SANDY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Farmland of statewide importance	potentially highly erodible	Somewhat excessively drained	none	none	no	---
GcC	GLOUCESTER SANDY LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of statewide importance	highly erodible	Somewhat excessively drained	none	none	no	---
GcD	GLOUCESTER SANDY LOAM, 15 TO 25 PERCENT SLOPES	Fill	Farmland of local importance	highly erodible	Somewhat excessively drained	none	none	no	---
GrB	GLOUCESTER VERY STONY SANDY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Somewhat excessively drained	none	none	no	---
GrC	GLOUCESTER VERY STONY SANDY LOAM, 8 TO 15 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Somewhat excessively drained	none	none	no	---

PUBLIC HEARING, Proposed Amendments – 9/17/24

GfD	GLOUCESTER VERY STONY SANDY LOAM, 15 TO 25 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
GfE	GLOUCESTER VERY STONY SANDY LOAM, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
GsD	GLOUCESTER EXTREMELY STONY SANDY LOAM, 8 TO 25 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Somewhat excessively drained	none	none	no	---
GsE	GLOUCESTER EXTREMELY STONY SANDY LOAM, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
Gv	GRAVEL AND BORROW PITS	Anthropogenic	Not prime farmland	not rated	not rated	---	---	unranked	---
HrE	HINCKLEY GRAVELLY LOAMY SAND, 15 TO 60 PERCENT SLOPES	Outwash	Not prime farmland	highly erodible	Excessively drained	none	none	no	---
HsA	HINCKLEY LOAMY SAND, 0 TO 3 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Excessively drained	none	none	no	---
HsB	HINCKLEY LOAMY SAND, 3 TO 8 PERCENT SLOPES	Outwash	Farmland of local importance	potentially highly erodible	Excessively drained	none	none	no	---
HsC	HINCKLEY LOAMY SAND, 8 TO 15 PERCENT SLOPES	Outwash	Farmland of local importance	potentially highly erodible	Excessively drained	none	none	no	---
Ma	MADE LAND	Anthropogenic	Not prime farmland	not rated	not rated	---	---	unranked	---

	Map Unit Name	Parent Material	Farm Classification	Erodability	Drainage Class	Flooding	Ponding	Hydric	Hydric %
Mh	MARSH	Organic Material	Not prime farmland	not rated	Very poorly drained	none	frequent	yes	100
Ml	MIXED ALLUVIAL LAND, WET	Alluvial Deposits	Not prime farmland	not rated	not rated	frequent	none	yes	100
Mp	MUCK AND PEAT	Organic Material	Not prime farmland	not highly erodible	Very poorly drained	none	frequent	yes	100
Oh	ONDAWA FINE SANDY LOAM, HIGH BOTTOM	Alluvial Deposits	All areas are prime farmland	not highly erodible	Well drained	occasional	none	no	---
PaB	PAXTON LOAM, 0 TO 8 PERCENT SLOPES	Fill	All areas are prime farmland	potentially highly erodible	Well drained	none	none	no	---
PaC	PAXTON LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of statewide importance	highly erodible	Well drained	none	none	no	---
PaD	PAXTON LOAM, 15 TO 25 PERCENT SLOPES	Fill	Farmland of local importance	highly erodible	Well drained	none	none	no	---
PnB	PAXTON VERY STONY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Well drained	none	none	no	---
PnC	PAXTON VERY STONY LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Well drained	none	none	no	---
PnD	PAXTON VERY STONY LOAM, 15 TO 25 PERCENT SLOPES	Fill	Farmland of local importance	highly erodible	Well drained	none	none	no	---
PnE	PAXTON VERY STONY LOAM, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Well drained	none	none	no	---
Po	PODUNK FINE SANDY LOAM	Alluvial Deposits	Prime farmland if drained and either protected from flooding or not frequently	not highly erodible	Moderately well drained	frequent	none	no	10
RbA	RIDGEBURY LOAM, 0 TO 3 PERCENT SLOPES	Fill	Farmland of local importance	not highly erodible	Poorly drained	none	none	yes	100
RbB	RIDGEBURY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Poorly drained	none	none	yes	100
RdA	RIDGEBURY VERY STONY LOAM, 0 TO 3 PERCENT SLOPES	Fill	Not prime farmland	not highly erodible	Poorly drained	none	none	yes	100
RdB	RIDGEBURY VERY STONY LOAM, 3 TO 8 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Poorly drained	none	none	yes	100
RhA	RIDGEBURY AND WHITMAN VERY STONY LOAMS, 0 TO 3 PERCENT SLOPES	Fill	Not prime farmland	not highly erodible	Poorly drained; Very poorly drained	none	frequent	yes	100

RhB	RIDGEBURY AND WHITMAN VERY STONY LOAMS, 3 TO 8 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Poorly drained;Very poorly drained	none	frequent	yes	100
Re	ROCK-OUTCROP	Not-Classified	Not prime farmland	not rated	not rated	---	---	unranked	---
Ru	RUMNEY FINE SANDY LOAM	Alluvial Deposits	Farmland of local importance	not highly erodible	Poorly drained	frequent	none	yes	100
Se	SCARBORO FINE SANDY LOAM	Outwash	Not prime farmland	not highly erodible	Very poorly drained	none	frequent	yes	100
SgB	SHAPLEIGH-GLOUCESTER SANDY LOAMS, 3 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Somewhat excessively drained	none	none	no	---
SgC	SHAPLEIGH-GLOUCESTER SANDY LOAMS, 8 TO 15 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Somewhat excessively drained	none	none	no	---
ShC	SHAPLEIGH-GLOUCESTER VERY ROCKY SANDY LOAMS, 3 TO 15 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Somewhat excessively drained	none	none	no	5
ShD	SHAPLEIGH-GLOUCESTER VERY ROCKY SANDY LOAMS, 15 TO 25 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Somewhat excessively drained	none	none	no	---
ShE	SHAPLEIGH-GLOUCESTER VERY ROCKY SANDY LOAMS, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
SoD	SHAPLEIGH-GLOUCESTER EXTREMELY ROCKY SANDY LOAMS, 8 TO 25 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Somewhat excessively drained	none	none	no	---
SoE	SHAPLEIGH-GLOUCESTER EXTREMELY ROCKY SANDY LOAMS, 25 TO 60 PERCENT SLOPES	Fill	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
Sy	SUNCOOK LOAMY SAND	Alluvial Deposits	Farmland of local importance	not highly erodible	Excessively drained	occasional	none	no	---
W	WATER (LESS THAN 40 ACRES)	Not-Classified	Not prime farmland	not rated	not rated	---	---	unranked	---
Wa	WHITMAN VERY STONY LOAM	Fill	Not prime farmland	not highly erodible	Very poorly drained	none	frequent	yes	100

Symbol	Map Unit Name	Parent Material	Farm Classification	Erodability	Drainage Class	Flooding	Ponding	Hydric	Hydric %
WATER	WATER (GREATER THAN 40 ACRES)	Not-Classified	Not prime farmland	not rated	not rated	---	---	unranked	---
WdA	WINDSOR LOAMY SAND, 0 TO 3 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Somewhat excessively drained	none	none	no	---
WdB	WINDSOR LOAMY SAND, 3 TO 8 PERCENT SLOPES	Outwash	Farmland of local importance	not highly erodible	Somewhat excessively drained	none	none	no	---
WdC	WINDSOR LOAMY SAND, 8 TO 15 PERCENT SLOPES	Outwash	Farmland of local importance	potentially highly erodible	Somewhat excessively drained	none	none	no	---
WdE	WINDSOR LOAMY SAND, 15 TO 60 PERCENT SLOPES	Outwash	Not prime farmland	highly erodible	Somewhat excessively drained	none	none	no	---
WoB	WOODBRIIDGE LOAM, 0 TO 8 PERCENT SLOPES	Fill	All areas are prime farmland	potentially highly erodible	Moderately well drained	none	none	no	5
WoC	WOODBRIIDGE LOAM, 8 TO 15 PERCENT SLOPES	Fill	Farmland of statewide importance	highly erodible	Moderately well drained	none	none	no	---
WvB	WOODBRIIDGE VERY STONY LOAM, 0 TO 8 PERCENT SLOPES	Fill	Farmland of local importance	potentially highly erodible	Moderately well drained	none	none	no	5
WvC	WOODBRIIDGE VERY STONY LOAM, 8 TO 15 PERCENT SLOPES	Fill	Not prime farmland	potentially highly erodible	Moderately well drained	none	none	no	---